Model	2.5L HEV Two Wheel Drive Enterprise Edition (Five seat)	2.5L HEV Four Wheel Drive Elite Edition	2.5L HEV Four Wheel Drive Luxury Edition	2.5L HEV Four Wheel Drive Honor Edition	2.5L HEV Four Wheel Drive Flagship Edition	2.0T Four Wheel Drive Enjoy Edition	2.0T Four Wheel Drive Shine Edition	2.0T Four Wheel Drive Supreme Edition)	
Manufacturer's suggested retail price	277800	294800	315800	334800	352800	318800	329800	348800	
	Basic parameters								
L&W&H	5015×1930×1750	5015×1930×1750	5015×1930×1750	5015×1930×1750	5015×1930×1750	5015×1930×1750	5015×1930× 1750	5015×1930×1750	
Wheelbase mm	2850	2850	2850	2850	2850	2850	2850	2850	
Wheelbase mm	Front 1655/Rear 1660	Front 1655/Rear 1660	Front 1655/Rear 1660	Front 1655/Rear 1660	Front 1655/Rear 1660	Front 1655/Rear 1660	Front 1655/Rear 1660	Front 1655/Rear 1660	
Minimum turning radius m	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	
Curb weight kg	1935	2035	2085	2090	2110	2040	2060	2060	
Tire specifications	235/65R18	235/65R18	235/55R20	235/55R20	235/55R20	235/55R20	235/55R20	235/55R20	
Carrying capacity	5	7	7	7	7	7	7	7	
, 3 , ,			Power sy	stem					
Transmission Type	New Generation E- CVT Electronic Continuously Variable Transmission System	New Generation E-CVT Electronic Continuously Variable Transmission System	New Generation E-CVT Electronic Continuously Variable Transmission System		New Generation E-CVT Electronic Continuously Variable Transmission System	Direct Shift-8AT	Direct Shift-9AT	Direct Shift-10AT	
Engine displacement mL	2487	2487	2487	2487	2487	1997	1997	1997	
Maximum engine power kW/rpm	139	139	139	139	139	182	182	182	
Maximum engine torque Nm/rpm	236/4200-4700	236/4200-4700	236/4200-4700	236/4200-4700	236/4200-4700	380/1800-4000	380/1800-4000	380/1800-4000	
Engine cylinder diameter × Stroke mm	87.5 × 103.4	87.5 × 103.4	87.5 × 103.4	87.5 × 103.4	87.5 × 103.4	85.0×88.0	85.0×88.0	85.0×88.0	
Maximum speed km/h	180	180	180	180	180	180	180	180	
Fuel tank volume L	65	65	65	65	65	68	68	68	
Comprehensive fuel consumption * L/100km	5.82	5.97	5.97	5.97	5.97	8.75	8.75	8.75	
TOYOTA SMATR STOP Intelligent	-	-	-	-	-	•	•	•	
Fuel Saving Start Stop System Environmental standards	ChinaVI	ChinaVI	ChinaVI	ChinaVI	ChinaVI	ChinaVI	ChinaVI	ChinaVI	
Environmental standards Chinavi									
	Permanent magnet	Permanent	Permanent	Permanent	Permanent				
Motor type	synchronous motor	magnet synchronous motor	magnet synchronous motor	magnet synchronous motor	magnet synchronous motor	-	-	-	
Motor peak power KW	134	Front: 134/rear: 40	Front: 134/rear:	Front: 134/rear:	Front: 134/rear: 40	-	-	-	
Peak torque of electric motor		Front: 270/Rear: 121	Front: 270/Rear: 121	Front: 270/Rear: 121	Front: 270/Rear: 121	-	-	-	
System output power kW	181	181	181	181	181	-	-	-	
Battery type	Metal hydride Nickel	Metal hydride Nickel	Metal hydride Nickel	Metal hydride Nickel	Metal hydride Nickel	-	-	-	
Number of battery modules	40	40	40	40	40	-	-	-	
Battery capacity Ah	6	6	6	6	6	-	-	-	
Suspension. Drive mode									
Suspension system (front/rear)	MacPherson independent suspension/double wishbone independent suspension	e wishbone independent suspension	e wishbone independent suspension	le wishbone independent suspension	e wishbone independent suspension	e wishbone independent suspension	ble wishbone independent suspension	le wishbone independent suspension	
Drive mode Dynamic torque vector control	FF	E-FOUR	E-FOUR	E-FOUR	E-FOUR	4WD	4WD	4WD	
system	-	-	-	-	-	•	•	•	
Brake system (front/rear)	Ventilated disc brake	Ventilated disc brake	Ventilated disc brake Appeara	Ventilated disc brake ance	Ventilated disc brake	Ventilated disc brake	Ventilated disc brake	Ventilated disc brake	
Aluminum alloy wheels	18 inches	18 inches	20 inches	20 inches	20 inches	20 inches	20 inches	20 inches	
Shark fin antenna	•	•	•	•	•	•	•	•	
Roof luggage rack	-	-	•	•	•	•	•	•	
Crown logo	•	•	•	•	•	•	•	•	
Front windshield	Soundproof glass	Soundproof glass	Soundproof glass	Soundproof glass	Soundproof glass	Soundproof glass	Soundproof	Soundproof glass	
Front side glass		Soundproof glass					glass Soundproof	Soundproof glass	
_	_caaproor glass	_caaproor glass	- sanaproor glass			- sanaproor glass	glass		
Rear side glass	-	-	-	Privacy glass	Privacy glass	Drivon	Privacy glass	Privacy glass	
Rear corner window glass	-	-	-	Privacy glass	Privacy glass	Privacy glass	Privacy glass	Privacy glass	
Rear windshield	-	-	-	Privacy glass	Privacy glass	Privacy glass	Privacy glass	Privacy glass	
Front windshield deicing function	-	-	-	-	-	-	-	•	
Rear windshield defogging function	•	•	Panoramic	Panoramic	Panoramic	 Panoramic 	 Panoramic 	Panoramic	
Sunroof	-	-	sunroof Interior and	sunroof	sunroof	sunroof	sunroof	sunroof	
Leather steering wheel/leather gear lever	=	=	•	•	•	•	•	•	

Multifunctional steering wheel (with					With heating			With heating		
up, down, front and rear manual 4- way adjustment)	•	•	•	•	function	•	•	function		
Door inner door panel	Fabric	Fabric	Synthetic leather	Synthetic leather	Synthetic leather	Synthetic leather	Synthetic leather	Synthetic leather		
Atmosphere light on the inside of the car door	-	-	•	•	•	•	•	•		
Wood grain decoration inside the car	-	-	•	•	•	•	•	•		
Chrome plated armrest decoration on the inner side of the car door	-	-	•	•	•	•	•	•		
Door welcome pedal	•	•	• Front metal	 Front metal 	 Front metal 	 Front metal 	 Front metal 	 Front metal 		
Chrome plated handle inside the door	-	-	-	•	•	-	•	•		
Luxury technology center console	•	•	 With chrome decoration and ambient lights 	 With chrome decoration and ambient lights 	With chrome decoration and	With chrome decoration and	With chrome decoration and	decoration and		
Color TFT multifunctional information	7 inches	7 inches	7 inches	12.3 inches	ambient lights 12.3 inches	ambient lights 12.3 inches	ambient lights 12.3 inches	ambient lights 12.3 inches		
display screen LED Glovebox lamp	•	•	•	•	•	•	•	•		
LED reading light	•	•	•	•	•	•	•	•		
Convenient configuration										
One click start	•	•	•	•	•	•	•	•		
Intelligent Keyless Entry System	•	•	•	•	•	•	•	•		
Electric tailgate	-	-	-	•	 Kick induction type 	•	•	 Kick induction type 		
Intelligent electric windows	•	•	•	•	•	•	•	•		
HUD Head Up Display System	-	-	-	•	•	-	-	•		
			Air condit	ioning						
Three zone independent automatic air conditioning	•	•	•	•	•	•	•	•		
Air outlet after air conditioning	•	•	•	•	•	•	•	•		
Air filter (with PM2.5 filtering function)	•	•	•	•	•	•	•	•		
NanoeTM * X (Nanoyi Water Ion Generator)	-	-	-	-	•	-	-	•		
Generatory			Field of	view						
Three eye LED headlights	•	•	•	•	•	•	•	•		
Combined LED rear tail light	•	•	•	•	•	•	•	•		
LED front fog light	•	•	•	•	•	•	•	•		
LED Daytime running lamp	•	•	•	•	•	•	•	•		
Automatic Lighting control system	•	•	•	•	•	•	•	•		
Exterior Rearview Mirror Illumination Ground Welcome Lamp	-	-	-	-	•	-	-	•		
Heating of the exterior rearview mirror	•	•	•	•	•	•	•	•		
Memory function of exterior rearview	-	-	-	-	•	-	-	•		
mirror Automatic folding function of	_	_	_	•	•	_	•	•		
exterior rearview mirror Automatic anti glare interior rearview				•	Streaming	•	•	 Streaming 		
mirror	Adjustable	Adjustable	Adjustable	Adjustable	rearview mirror Adjustable	Adjustable	Adjustable	rearview mirror Adjustable		
Intermittent wiper	duration	duration	duration	duration	duration	duration	duration	duration		
			Storage s	space						
Glovebox	•	•	•	•	•	•	•	•		
Central armrest storage box	•	•	·		•	•	•	•		
Fabria aceta	•	•	Seats	5						
Fabric seats Premium mix and match leather and	•	•	-	-	-	-	-	-		
fabric seats Premium perforated leather	-	-	•	•	-	•	•	-		
*+synthetic leather seats	-	-	-	-	•	-	-	•		
Driver's seat adjustment	Manual 6-way	Manual 6-way	Electric 8-way	Electric 8-way	Electric 8-way	Electric 8-way	Electric 8-way	Electric 8-way		
Front passenger seat adjustment	Manual 4-way	Manual 4-way	Electric 4-way	Electric 4-way	Electric 4-way	Electric 4-way	Electric 4-way	Electric 4-way		
Driver's seat memory Electric lumbar support in the driver's	-	-	-	-		-	-	•		
seat	-	-	-	-	Front	-	-	Front		
Seat heating function	-	-	Front row	Front row	row+Second row	Front row	Front row	row+Second row		
Seat ventilation function	-	-	-	-	Front row	-	-	Front row		
Second row seat adjustment (adjustable for tilting, leveling,	•	•	•	•	•	•	•	•		
sliding, with 4/6 split) ● ● ● ● Third row seat adjustment (tilt, flat,		•	•	•	•	_	•	•		
with 4/6 split)										
Multimedia configuration 8-inch multimedia entertainment										
system-	•	•	•	-	- ● Face	•	-	- Face		
12.3-inch multimedia navigation system	-	=	=	•	recognition function	=	•	recognition function		

Hello Toyota Intelligent Voice	-	-	_	•	•	_	•	•
Interaction System Advanced audio system (with 6	_	_	_	_		_		
speakers)	•	•	•	•	-	•	-	-
JBL Advanced Surround Sound	-	_	_	_	•	_	•	•
System (with 11 speakers) Carlife/Carplay/HiCar smartphone	_	_	_			_		
interconnection	•	•	•	-	-	•	-	-
T This is a second	Remote Control	Remote	Remote	Remote	Remote	 Remote 	Remote	● Remote
Toyota Zhixing Internet	and Other Services	Control and Other Services	Control and Other Services					
12V power supply	•	SCI VICCS	•	Other Services				
The second row of 220V power	•	•	•	•	-	•	•	_
supply	-	-	-	-	•	-	-	•
Front and rear dual USB charging interfaces	•	•	•	•	•	•	•	•
interfaces			Security Conf	iguration				
AIM four-wheel drive comprehensive			occurry com	iguration				
management system	-	•	•	•	•	•	•	•
Front SRS airbags in the front row	•	•	•	•	•	•	•	•
	•	•	•	•	•	•		•
Side SRS airbag	•	•	•	•	•	•	•	•
Left and right curtain SRS airbags	•	•	•	•	•	•	•	•
Driver's knee SRS airbag	•	•	•	•	•	•	•	•
EPB Electronic parking brake	•	•	•	•	•	•	•	•
	-	-	-	-	-	-	-	_
ABS brake anti lock system	•	•	•	•	•	•	•	•
VDIM Vehicle Dynamic Comprehensive Management	•	•	•	•	•	-	-	-
VSC Vehicle Stability Control System	•	•	•	•	•	•		•
		-	-	_	_	-	_	_
HAC Uphill Auxiliary Control System	•	•	•	•	•	•	•	•
DAC downhill auxiliary control system	-	-	-	-	-	•	•	•
TPMS tire pressure monitoring	•	•	•	•	•	•	•	•
system (with numerical display)	•	•	-	•	· ·	•	•	•
Immobiliser (with alarm)	•	•	•	•	•	•	•	•
PKSB Parking Collision Prevention	-	-	-	•	•	-	-	•
Assist System			_					
Parking sensor	-	-	•	-	-	-	-	-
PVM panoramic monitoring system	-	-	-	•	•	-	•	•
BSM parallel blind spot monitoring	-	_	_	_	•	_	-	•
system						_		
Parking image	-	-	-	-	-	•	-	-
	Т	oyota Safety Sense						
PCS pre collision safety system (with	•	•	•	•	•	•	•	•
pedestrian recognition in front, etc.) DRCC dynamic radar cruise control								
system (with full speed range	•	•	•	•	•	•	•	•
following function)								
LTA lane following assistance system (with following function)	•	•	•	•	•	•	•	•
AHB automatic adjustment high	•	•	•	•	•	•	•	•
beam system	•	•	•	•	•	Ū	•	•
Note:								
indicates the presence of this								
configuration, and "-" indicates the absence of this configuration.								
*Some materials in the leather seats								
are made of synthetic leather. *Nanoe ™ It is marked as the								
trademark of Panasonic Electric Co.,								
Ltd.								
Both HEV and 2.0T models have								
WLTC fuel consumption. Platinum white and Paris red are								
special colors that require an								
additional payment of 2000 yuan.								